


HOLE LEGEND		
DRILLED OR PUNCHED MOLE TOLERANCES:	HOLE DIA.	TOL.
	0.135 to 0.125	± .003
	.126 to .250	± .004
	.251 to .500	± .005
IDENT.	DESCRIPTION	QTY
A		

5223 CABLE CONN.

A0	(A) 1	A3
A5	(B) 2	FXDX
A2	(C) 3	A1
A4	(D) 4	8
1	(E) 5	9
0	(F) 6	RT DC
5	(H) 7	A7
	(J) 8	A6
	(K) 9	A14
2	(L) 10	A13
4	(M) 11	A15
6	(N) 12	A12
7	(P) 13	A11
3	(R) 14	A10
AB	(S) 15	A9



PIN	CONNECTION	SIGN TUBE
1	NUMERAL 1	-
2	"	2
3	"	3
4	"	4
5	"	5
6	"	6 +
7	ANODE	ANODE
8	NUMERAL 7	
9	"	8
10	ANODE	
11	NUMERAL 9	
12	"	0
13	RT. DC. PT.	RT. DC. PT.
14	LT. DC. PT.	

TUBE TYPE	WANG. NO.	QTY
SIGN	340-0010	2
NUMERAL	340-0011	14

REV.	DATE	DESCRIPTION
1	5/14/71	PER EGM #2149 ADDED FXDX CKT, ADDED 5223 CABLE CONN. ADDED NOTE FOR MODEL 500 APP. R.T.

WANG PART NO.	ITEM	QTY.	NAME	MATERIAL	DESCRIPTION
			WANG LABORATORIES, INC. TEWKSBURY, MASS. U.S.A.	BY	DATE
			MODEL NO. 700/500	APPROVED BY	DATE
			SEE ENGRG SPECIFICATIONS	CHK RTT	3-13-70
			TITLE SCHEMATIC LOGIBLOC #5936 NIXIE DISPLAY	E. C. CONTROL	MFG ENGR
			TOL. EX. AS NOTED		
			XX ± .010 FRAC. ± 1/64		
			XXX ± .005 ANG. ± 1°30' FINISH V		
			SCALE 1/16" SHT OF		
				D 5936-1	1
				WANG PART NUMBER	SIZE
				DRAWING NUMBER	REV.

D 5936-1