


HOLE LEGEND		
DRILLED OR PUNCHED HOLE	HOLE DIA.	TOL.
	0.135 to 0.125	±.001
	0.126 to 0.250	±.004
	0.251 to 0.500	±.010

IDENT.	DESCRIPTION	QTY.
A		



LOCATION	TYPE & MFR'R	TERM No. VCC + 5VR	TERM No. ±0V	QTY
L1	SN7414IN SIGNETICS CORR.	5	12	1

NOTE!  
 1. ALL DIODES EM403 UNLESS SPECIFIED OTHERWISE (QTY 15) D1 W1380-2127 (1) (40V)  
 2. ALL TRANSISTORS ARE 2N3490 (QTY 39) D2 W1380-2125 (18) U10V

REVISION	DATE	DESCRIPTION
1	5/11/70	PER ECN 1570 REMOVED 1K-10K RESISTORS, ADDED 10-300PF CAPS APP. RJT
2	5/17/70	PER ECN 1577 ADDED .0047UF 500V CER. APP. RJT
3	5/16/70	PER ECN 1526 ADDED 390PF TO Q9 AND CHANGED 10K TO 100K APP. RJT
4	6/11/70	PER ECN 1657 ADDED 2 TRACKS TO L1 PIN 1 AND 2 AND NOTE TO L1 APP. RJT
5	11/20/70	PER ECN 1835 REVISED WITH CHANGE L1 PIN 1 APP. RJT
6	9/21/71	PER ECN 2440 REMOVED D1 220V ZENER, ADDED 2-10V ZENERS, APP. SKH
7	11/23/71	PER ECN 2395 DIMAS 380-2128 ADDED 10 DIODES EM403 APP. SKH

WANG PART NO.	ITEM	QTY.	NAME	MATERIAL	DESCRIPTION
	FIRST USED ON	ASSY USED ON			
			<b>WANG</b> LABORATORIES, INC. TOWNSHIRE MASS. U.S.A.		
			MODEL NO. 700		
			SEE ENGRG SPECIFICATIONS		
			TOL. EX. AS NOTED		
			XX ± .010 FRAC. ± 1/64		
			XXX ± .005 ANG. ± 1°30' FINISH V.		
			SCALE	SHT. OF	WANG PART NUMBER
					SIZE
					DRAWING NUMBER
					REV.